

# FingerPainter

## Lesson 5




### Description

Implement the drawing method with Core Graphics.

### Learning Outcomes

- Recognize the procedural steps to draw lines with Core Graphics.
- Describe the procedure of performing drawing operations within an image context, and updating a `UIImageView` with the resulting image.



### Vocabulary

context	point	path
stroke	<code>CGPoint</code>	<code>CGContextRef</code>
<code>UIImage</code>	<code>UIImageView</code>	

### Materials

- **FingerPainter Lesson 5** Xcode project

## Opening

How might you implement the actual `drawFromPoint:toPoint:` method in the controller?

## Agenda

- Discuss how, similar to drawing a single line with Core Graphics in Lesson 1, one must follow a similar idiom when implementing `drawFromPoint:toPoint:`: obtaining a drawing context, setting the stroke color and width, creating a path with points, and then stroking the path.
- Update the implementation of `drawFromPoint:toPoint:`.

```
func drawFromPoint(start: CGPoint, toPoint end: CGPoint){
    // set the context to that of an image
    UIGraphicsBeginImageContext(canvas.frame.size)
    let context = UIGraphicsGetCurrentContext()
    // draw the existing image onto the current context
    canvas.image?.drawInRect(CGRect(x: 0, y: 0,
        width: canvas.frame.size.width,
        height: canvas.frame.size.height))
    // draw the new line segment
    CGContextSetLineWidth(context, 5)
    CGContextSetStrokeColorWithColor(context,
        UIColor.magentaColor().CGColor)
    CGContextBeginPath(context)
    CGContextMoveToPoint(context, start.x, start.y)
    CGContextAddLineToPoint(context, end.x, end.y)
    CGContextStrokePath(context)
    // obtain a UIImage object from the context
    let newImage = UIGraphicsGetImageFromCurrentImageContext()
    UIGraphicsEndImageContext()
    // Set the UIImageView's image to the new, generated image
    canvas.image = newImage
}
```

- Explain how the call to `UIGraphicsBeginImageContext` establishes that all drawing operations will take place on an image, rather than the view itself.
- Discuss how subsequent drawing operations will occur to this "cached" image managed by Core Graphics.
- Discuss how the first drawing operation is calling the `drawInRect:` method on the `UIImageView`'s current image, which tells it to "draw itself onto the current context." In other words, the lines already drawn on the `UIImageView`'s image are first drawn on the new context, so that they do not disappear after subsequent calls to `drawFromPoint:toPoint:`.

- Discuss the drawing functions `CGContextSetLineWidth`, `CGContextSetStrokeColorWithColor`, `CGContextBeginPath`, `CGContextMoveToPoint`, `CGContextAddLineToPoint` and `CGContextStrokePath`.
- Explain how the results of the drawing operations are obtained as a `UIImage` object from the `UIGraphicsGetImageFromCurrentImageContext` function.
- Explain how the resulting image is then assigned to the `image` property of the controller's `UIImageView` canvas.
- Discuss how, for every call to `drawFromPoint:toPoint:`, a new `UIImage` is generated, the existing `UIImageView` image is drawn onto the new `UIImage`, the new line is drawn on the new `UIImage`, and then the new `UIImage` is assigned to the `UIImageView` for continuous display.
- Run the app (⌘R), click and drag the mouse on the screen to simulate a finger movement, and observe the line drawing.

## Closing

What happens if you delete the line that calls `canvas.image?.drawInRect:?`

## Modifications and Extensions

- Modify the drawing implementation such that the line changes color or thickness the longer the entire moving touch event is.

## Resources

Drawing and Printing Guide for iOS: iOS Drawing Concepts <https://developer.apple.com/library/ios/documentation/2DDrawing/Conceptual/DrawingPrintingiOS/GraphicsDrawingOverview/GraphicsDrawingOverview.html>

View Programming Guide: Creating Views [https://developer.apple.com/library/ios/documentation/WindowsViews/Conceptual/ViewPG\\_iPhoneOS/CreatingViews/CreatingViews.html](https://developer.apple.com/library/ios/documentation/WindowsViews/Conceptual/ViewPG_iPhoneOS/CreatingViews/CreatingViews.html)

Quartz 2D Programming Guide <http://developer.apple.com/library/ios/documentation/GraphicsImaging/Conceptual/drawingwithquartz2d/Introduction/Introduction.html>

`CGContext` Reference <https://developer.apple.com/library/ios/documentation/GraphicsImaging/Reference/CGContext/index.html>

`UIImageView` Class Reference [https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIImageView\\_Class/index.html](https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIImageView_Class/index.html)

`UIImage` Class Reference [https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIImage\\_Class/index.html](https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIImage_Class/index.html)

UIColor Class Reference [https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIColor\\_Class/index.html](https://developer.apple.com/library/ios/documentation/UIKit/Reference/UIColor_Class/index.html)